



Junior Slide / Soaker Slide

Attendants Recommended: 1 adult

General Rules To Follow During Use Of Unit:

1. Compatible age groups must play on the unit at the same time. Age groups must not be mixed. No more than 2 Sliders going up the stairs and no more than 2 sliders on top
2. All persons must remove shoes before playing in unit.
3. Children's safety depends on you. Control over exuberance and showoffs. Inflate The Fun inflatables are top quality, well engineered products designed for the pleasure and safety of children. Use it wisely.
4. To avoid back injuries, FLIPS ARE NOT ALLOWED!
5. Absolutely no silly string, gum candy, food, or other foreign substances are not allowed on the slide.
6. Have sliders form a single file line before entering stairs.
7. For water play, use any household hose. You do not need to have the hose on full blast; a light flow should be adequate.

Problems: Should your jump begin to deflate:

1. Motor has stopped check cord to connection at outlet and on motor itself. Check circuit breakers. Remember, only one 50 ft cord an nothing else on the outlet. Stronger outlets are in the kitchen, laundry room, and garage.
2. Motor still running. Check air intake on side of blower for blockage, check both tubes on back of unit for snugness and retie if necessary.
3. In the event of deflation, calmly evacuate the unit. It takes several minutes for slide to deflate so sliding down is the quickest method of evacuation.
4. If the unit is not on solid, flat ground it can tip over. Therefore it is necessary to stake every corner of the unit with 8" or longer stakes. In the event of excessive wind (20 mph or greater) evacuate the slide and deflate unit until poor weather has subsided. If using it as a dry slide, make sure slide is completely dry before allowing riders back on unit.
5. A cleaning fee of no less than \$ 50.00 will apply if unit is not returned in the same condition in which it was dropped off. Client will be responsible and charged for any damage incurred due to rough play or misuse of unit.

I the undersigned have read and agree to the safety requirements as show above.

Event Representative